



Stainless Steel Hood



Technical Parameters

		Unit:mm																	
Model	50	60	70	80	100	110	120	130	140	150	160	170	180	190	200	250	300	350	400
D	45	55	68	75	98	105	115	125	135	145	157	165	175	186	195	245	295	345	390
A	80	80	120	120	146	146	146	176	176	190	190	225	225	225	225	330	330	430	430
H	38	23	35	35	42	42	40	42	45	50	45	53	60	57	53	67	65	150	170



Stainless steel flat tuyere



Technical Parameters

		Unit:mm									
Model	70	80	100	110	120	150	160	180	190	200	
A	120	120	143	142	143	190	191	226	226	226	
D	69	76	99	105	116	146	157	175	193	195	
H	29	39	43	39	49	41	49	48	49	43	

Stainless steel check valve




Technical Parameters

Unit:mm

Model	100 Half open	150 Half open	150 Full open	160 Full open	180 Full open	160-180 Double bore
D	135	190	185	195	220	220
A	22	25	32	32	32	25
H	135	185	185	195	220	220

ABS plastic tuyere



Technical Parameters

Unit:mm

Model	75	100	125	150	200
A	109	141	166	200	248
B	65	65	69	68	68
C	67	90	118	141	182

Stainless steel convex floor drain



Technical Parameters

Unit:mm								
Size	50	63	75	83	110	150	160	200
L	50	69	83	80	98	97	98	115
H	46	60	68	75	105	146	154	191
C	21	32	38	34	45	44	45	51
W	51	76	83	101	126	179	179	216


Stainless steel flat floor drain



Technical Parameters

Unit:mm								
Size	50	63	75	83	110	150	160	200
A	55	101	83	101	121	179	179	216
H	23	35	37	38	43	44	43	52
D	44	78	72	79	106	144	153	191

Stainless steel wire cover



Technical Parameters

Unit:mm				
Model	50	75	110	160
W	102	123	135	195
H	118	126	125	174
L	40	61	87	131
D	42	42	44	50